







Benefits for your nursing staff and your residents ...

- Carrier frame and lifting column made out of aluminium and steel
- Extra light and easy to manoeuvre
- ✓ High-quality lockable double castors
- ✓ Electrical height adjustment and electrically spreadable carrier frame
- ✓ 2-point sling spreader bar can be lowered to the floor
- No unsetting pendular or rotational movements during lifting and transferring thank to patened anti-rotationmechanism (ARM)
- Can easily pass underneath both bath tubs and care beds
- Hand control with display of the battery charge status
- Working in an ergonomic and health-orientated manner, as no manual lifting is required
- ✓ 2-point sling spreader bar
- ✓ Battery and charger are compatible with all BEKA Hospitec hoists!
- ✓ Large choice of comfortable loop slings of different sizes
- ✓ Also available with patient scale





Also available with a 4-point sling spreader bar

Technical data	Model Classic 185	Model Classic 230
Carrier frame (length/height)	1.290 mm / 125 mm	1.290 mm / 125 mm
Inner width (closed/spread)	540 mm / 1.040 mm	540 mm / 1.040 mm
Outer width (closed/spread)	700 mm / 1.180 mm	700 mm / 1.180 mm
Total width of the lift (carrier frame closed)	700 mm	700 mm
Lifting range	1.400 mm	1.400 mm
Max. patient weight	185 kg	230 kg
SWL	185 kg	230 kg
Drive	24V LINAK drive	24V LINAK drive

Accessories / Options

Patient scale		
Transfer slings with loops (available in different sizes, standard size S-XXL)		
Bathing slings with loops (available in different sizes, standard size S-XXL)		
Toilet slings with loops (available in different sizes, standard size S-XL)		
Soft slings with loops (available in different sizes, standard size	S-XL)	
Spare battery 24 V		
External wall charging unit		

